Claims

1		1. An incontinence article, comprising:
2		a front portion;
3		a rear portion joined to the front portion; and
4		a bumper positioned on at least one of the front portion and the rear
5		portion.
1		2. The article of claim 1, further comprising a front guard extending from the
2	Service Services	front portion, wherein the bumper is positioned along a top edge of the front
3	Real family the state of the state that the state of the	guard.
1		3. The article of claim 1, further comprising a back guard extending from the rear
2	Heritana and the second the secon	portion, wherein the bumper is attached along a top edge of the back guard.
1		4. The article of claim 1, wherein the bumper is positioned along a top edge of the
2		front portion.
1		5. The article of claim 1, wherein the bumper is positioned along a top edge of the
2		rear portion.
1		6. The article of claim 1, wherein the bumper is a block.

7. The article of claim 1, wherein the bumper is a roll.

8. An incontinence article, comprising:

1

1		14. An incontinence article, comprising:
2		a front portion;
3		a rear portion having a back guard extending therefrom;
4		a crotch portion between the front portion and the rear portion; and
5		a bumper positioned on at least one of the front portion and the back
6		guard.
1		15. The article of claim 14, wherein the bumper is positioned along a top edge of
2		the back guard.
1 2	The start street	16. The article of claim 14, wherein the bumper is positioned along a top edge of the front portion.
1		17. The article of claim 14, wherein a first bumper is positioned along a top edge
2	The second	of the back guard, and wherein a second bumper is positioned along a top edge of
3	garly outs R. He nead Rad's drawn	the rear portion.
1		19. The article of claim 14, wherein the bumper is a roll.
1		20. The article of claim 14, wherein the bumper is a block.

1	21. An incontinence article, comprising:
2	a front portion having a front guard extending therefrom;
3	a rear portion;
4	a crotch portion between the front portion and the rear portion; and
5	a bumper positioned on at least one of the front guard and the rear portion.
1	22. The article of claim 21, wherein the bumper is positioned along a top edge of
2	the front guard.
1 2	23. The article of claim 21, wherein the bumper is positioned along a top edge of the rear portion. 24. The article of claim 21, wherein a first bumper is positioned along a top edge
1	24. The article of claim 21, wherein a first bumper is positioned along a top edge
2	
3	of the front guard, and wherein a second bumper is positioned along a top edge of the rear portion.
1	25. The article of claim 21, wherein the bumper is a roll.
1	26. The article of claim 21, wherein the humper is a block